



# Request for Information

We are a global technology company, driving energy innovation for a balanced planet. We create amazing technology that unlocks access to energy for the benefit of all – Paving a path to net zero and beyond:

- Innovating in oil and gas
- Decarbonizing industry
- Delivering digital at scale
- Scaling new energy systems

We are energy innovators, pushing the limits of technology to deliver outstanding performance for our customers and stakeholders. In today's competitive global economy, we know that strong relationships with our suppliers are important to enable our ability to meet our and our customers' needs.

Our preferred suppliers are those who collaborate with us in a professional, ethical, competitive, and cost-effective manner consistent with SLB policies, procedures, and business objectives.

SLB is seeking suppliers who can support the following:

## Scope: Supply of Personal Protective Equipment

The objective is to identify qualified supplies to supply personal protective equipment to Schlumberger Guyana Inc. (SLB), including but not limited to:

- I. **Hard Hats:** ANSI Z.89.1-2014 Type I or Type II (Industrial head protection) or equivalent
- II. **Foot protection:** ASTM F2413-18 or equivalent
- III. **Coveralls:** - lightweight 150g-185g

### Fabric Specifications

TEST	Test Method	Minimum Requirement Warp	Minimum Requirement Weft	Requirement
<b>Tear Strength</b>	EN ISO 13937-2: 2000	17 N (min)	17 N (min)	17 N (min)
<b>Dimensional Stability to Washing</b>	AATCC 135: 2015	+/-3	+/-3	Max 3%
<b>Resistance to Abrasion</b>	BS EN ISO 12947-2: 1998			5 20,000 Cycles No Breakdown
<b>Color Fastness to Washing</b>	BS EN ISO 105-C06: 2010			4
<b>Color Fastness to Perspiration – Acid</b>	AATCC15: 2013			4
<b>Color Fastness to Light (std 5)</b>	BS EN ISO 105-B02: 2014			5
<b>Colour Fastness to Rubbing</b>	BS EN ISO 105-X12: 2016	DRY 4	WET 3-4	
<b>Formaldehyde – Free</b>	BS EN 14184 Pt1			75 ppm
<b>Formaldehyde – Released</b>	BS EN 14184 Pt2			300 ppm
<b>Azo Dyes</b>	BS EN 14362-1/BS EN 14362-2/DD CEN ISO/TS 17234: 2010			Not Detectable



**Relevant Standards and Policies**

- NFPA 2112 Standard on flame-resistant garments for protection of industrial personnel against flash fire
- NFPA 2113 Standard on selection, care, use and maintenance of flame resistant garments for protection of industrial personnel against flash fire
- NFPA 70E - Electrical safety (HRC – Hazard Risk Category) ATPv
- OSHA Memorandum (PPE 29 CFR 1910.132(a) - March 19, 2010 - Enforcement policy for flame-resistant clothing in oil and gas drilling, well servicing, and production-related operations

**General Specifications for All Work Wear**

All workwear shall comply with the following requirements and specifications for various common components and features:

Feature	Rules and Specifications
<b>Reflective Tape</b>	<ul style="list-style-type: none"> <li>- Sew-on with fabric backing on the Non-FR or FR garment</li> <li>- Comply with Hi-Vis Standards: EN ISO 20471 and ANSI 107 and additionally for FR garments; EN ISO 14116 NFPA 1971 and 1977, UL certified</li> </ul>
<b>Sewing Thread</b>	<ul style="list-style-type: none"> <li>- Fiber: Thread can be both FR and Polyester core wrapped thread</li> <li>- TEX: 40</li> <li>- Elongation: 22%</li> <li>- Strength: 5 lbs</li> <li>- Seam Strength: 68.25 10 SPI</li> <li>- (Manufacturing tolerances ±10)</li> </ul>
<b>Zippers</b>	<ul style="list-style-type: none"> <li>- Minimum requirement is 6mm for unlined garments</li> <li>- Minimum requirement for main zipper is 8mm for winter garments</li> <li>- Chain lateral strength: ≥ 500 N</li> <li>- Open-end lateral strength: ≥ 120 N</li> <li>- Puller attachment strength: ≥ 250 N</li> <li>- Top stop holding strength: ≥ 100 N</li> <li>- Bottom stop holding strength: ≥ 80 N</li> </ul>
<b>Snaps and Buttons</b>	<ul style="list-style-type: none"> <li>- 100% brass</li> <li>- Separation force: less than 110 N</li> <li>- Opening force: less than 44 N ± 10</li> <li>- Snap cap and post (non-function parts) need to be attached and covered</li> <li>- No snaps shall touch the skin</li> <li>- Plastic washers are required when using lightweight fabric i.e. &lt;7.25 oz/yd<sup>2</sup> (220g/m<sup>2</sup>)</li> </ul>

**Interested companies are encouraged to:**

- Register with the Centre for Local Business Development (CLBD)
  - Proof of registration is recommended.
- Include a company profile containing the following details with any EOI submitted specifically detailing how the scope of work can be satisfied.
- Local Content Certification (with valid local content registration and certification) & TIN Certificate
- Email their Expression of Interest (EOI) along with the above-mentioned requirements to [GYSourcing@slb.com](mailto:GYSourcing@slb.com) before **03 February, 2025**.
  - Include the EOI scope name in the subject line of the email: **"Supply of PPE"**

Disclaimer: This is a request for information and does not constitute a commitment or tender. Firms meeting majority of requirements are encouraged to respond